






C  US E182481

RoHS compliant

REV	DESCRIPTION	DATE



Features:

- * Available in 2X2 through 2X20 Circuits
- * Material: Nylon 66 UL94V-0
- * Accepts YY-110D-T Crimp Terminal
- * Mates with YY-110D-WXXS or YY-110D-WXXR Series Wafer
- * Color: White

Ordering information:

YY-110D-H XX
I 2

- 1 H=Housing
- 2 No. of Circuits 04~40



6P~40P

4P

Circuits	Dimension mm		
	A	B	C
2X2	2.00	5.90	4.60
2X3	4.00	7.90	6.60
2X4	6.00	9.90	8.60
2X5	8.00	11.90	10.60
2X6	10.00	13.90	12.60
2X7	12.00	15.90	14.60
2X8	14.00	17.90	16.60
2X9	16.00	19.90	18.60
2X10	18.00	21.90	20.60

Circuits	Dimension mm		
	A	B	C
2X11	20.00	23.90	22.60
2X12	22.00	25.90	24.60
2X13	24.00	27.90	26.60
2X14	26.00	29.90	28.60
2X15	28.00	31.90	30.60
2X16	30.00	33.90	32.60
2X17	32.00	35.90	34.60
2X18	34.00	37.90	36.60
2X19	36.00	39.90	38.60
2X20	38.00	41.90	40.60





TOLERANCE		 Young Yak Enterprise Co.,Ltd.			
X.	--				
X.X	±0.20	TITLE 2.0mm (.079") Pitch Housing			
X.XX	±0.10				
X.XXX	±0.05				
ANGULAR	--	APPROVALS			
DRAWN	CHEN	VIEW	SCALE	PART NO.	REV.
	20-MAY-2009		F	YY-110D-HXX	A0
CHECKED	LOUIS	UNIT	SIZE	DWG NO.	SHEET
	20-MAY-2009	mm	A4	A2002H014	1 OF 1
APPROVED	ZHANG				
	20-MAY-2009				



C **YI** US E182481

REV	DESCRIPTION	DATE






NOTES

Used in YY-110D-H Series Housing
 Accepts AWG #22~28 Wire Range
 Insulation O.D.=1.50mm(max)
 Material : Phosphor bronze
 Finish : Tin Plated
 Qty/Reel : 15,000 PCS
 Thickness : 0.2mm

ORDERING INFORMATION

YY-110D - T TB P
1 2 3

- 1. T : Terminal
- 2. TB : Tin Plated
- 3. Material :
 P : Phosphor Bronze







Customer Drawing

TOLERANCE					
X.	--				Young Yak Enterprise Co.,Ltd. TITLE 2.00mm (.079") Pitch Wire to Board Terminal
X.X	±0.25				
X.XX	±0.15				
X.XXX	±0.05				
ANGULAR	--				
APPROVALS					
DRAWN	Frank	VIEW	SCALE	PART NO.	REV.
	29-November-2012		F	YY-110D-TTBP	A0
CHECKED	Kang	UNIT	SIZE	DWG NO.	SHEET
	29-November-2012	MM	A4	YY-110D-TTBP-014	1 OF 1
APPROVED	Denise				
	29-November-2012				



C **RI** US E182481

REV	DESCRIPTION	DATE



P.C.B Hole dia: 0.8mm±0.05
P.C.B Thickness 0.8~1.60mm±0.05

Circuits	Dimension mm		Circuits	Dimension mm	
	A	B		A	B
2x3	4.00	7.90	2x10	18.00	21.90
2x4	6.00	9.90	2x11	20.00	23.90
2x5	8.00	11.90	2x12	22.00	25.90
2x6	10.00	13.90	2x13	24.00	27.90
2x7	12.00	15.90	2x14	26.00	29.90
2x8	14.00	17.90	2x15	28.00	31.90
2x9	16.00	19.90	2x16	30.00	33.90
			2x17	32.00	35.90

NOTES

Available in 2X3 through 2X17 Circuits
Material: Nylon 66 UL94-V0
Mates with YY-110D-H Series Housing
0.5mm(.020") Square Pin
Contact Material: Brass
Finishing: Tin-plated or Gold-plated

ORDERING INFORMATION

YY-110D - W ** S *
 1 2 3

- No. of Circuits 06~34
- S : Straight
- Plated
G : Gold-plated
T : Tin-plated

TOLERANCE					
X.	--				
X.X	±0.20				
X.XX	±0.15				
X.XXX	±0.10	TITLE 2.0mm(.079") Pitch Wire to Board Header			
ANGULAR	--				
APPROVALS					
DRAWN	Frank	VIEW	SCALE	PART NO.	REV.
	16-July-2011		F	YY-110D-W**S*	A0
CHECKED	Denise	UNIT	SIZE	DWG NO.	SHEET
	16-July-2011	MM	A4	YY-110D-W**S*-B25	1 OF 1
APPROVED	Jessica				
	16-July-2011				

